

Message

From: Dudar, Helen [Helen.Dudar@dep.nj.gov]
Sent: 3/4/2021 2:25:12 PM
To: Davis, Katherine L [katherine.l.davis@aecom.com]; Kavvadias, Eleni [kavvadias.eleni@epa.gov]; Seppi, Pat [Seppi.Pat@epa.gov]; Mark Herzberg [Mark.Herzberg@dep.nj.gov]
CC: 'Andrew.S.Hartten@chemours.com' [Andrew.S.Hartten@chemours.com]
Subject: CWKs RES - DRAFT Annual Decline Contact for 63 S Railroad
Attachments: DRAFT Annual Decline Contact.docx
Ex. 6 Personal Privacy (PP)

Good morning,

RE: NJDEP comments - Ex. 6 Personal Privacy (PP) Residential Well

If the well owner accepts the offer for mitigation, the NJDEP/USEPA does not have a concern with Chemours sampling the well to confirm it is eligible for mitigation prior to implementation of the mitigation.

Recommended language change (Track Changes in attachment).

From:

Your drinking-water well was sampled on October 7, 2015. On November 13, 2017, you declined NJDEP's offer to treat your well.

To:

Your drinking-water well was sampled on October 7, 2015, and subsequently you declined NJDEP's offer to treat your well.

Helen Dudar, Case Manager
New Jersey Department of Environmental Protection
Site Remediation and Waste Management Program
Bureau of Case Management
401 East State Street
P.O. Box 420
Mailcode 401-05F
Trenton N.J. 08625-0420

Nothing in this correspondence affects your potential liability and obligations to the State Trustee, the Department, or its Commissioner regarding natural resource injuries, restoration, or damages.

From: Davis, Katherine L <katherine.l.davis@aecom.com>
Sent: Wednesday, March 3, 2021 2:47 PM
To: Kavvadias, Eleni <kavvadias.eleni@epa.gov>; Seppi, Pat <Seppi.Pat@epa.gov>; Dudar, Helen <Helen.Dudar@dep.nj.gov>; Herzberg, Mark <Mark.Herzberg@dep.nj.gov>
Cc: 'Andrew.S.Hartten@chemours.com' <Andrew.S.Hartten@chemours.com>
Subject: [EXTERNAL] RE: CWKs RES - DRAFT Annual Decline Contact Ex. 6 Personal Privacy (PP)

Hi Helen,

At the February 24th quarterly meeting you said you had comments on this draft letter. Please send them to me when you get a chance. Thanks.

Kathy

Katherine L. Davis, PhD

Pronouns: *she, her, hers*

PFAS Technical Lead

Principal Geologist, Philly Metro Area

D 1-302-318-2597 effective 10/14/20

C 1-302-530-2687

Katherine.L.Davis@aecom.com

From: Davis, Katherine L

Sent: Monday, February 15, 2021 3:23 PM

To: Kavvadias, Eleni <kavvadias.eleni@epa.gov>; Seppi, Pat <Seppi.Pat@epa.gov>; Dudar, Helen <Helen.Dudar@dep.nj.gov>; Mark Herzberg <Mark.Herzberg@dep.nj.gov>

Cc: 'Andrew.S.Hartten@chemours.com' <Andrew.S.Hartten@chemours.com>

Subject: CWKs RES - DRAFT Annual Decline Contact for 63 S Railroad

Good Afternoon,

Attached is a draft letter I wanted to share with you Ex. 6 Personal Privacy (PP) as one of the NJDEP sampled locations that Chemours agreed to take over OM&M. In most cases, GAC systems had already been installed. However, in this case, the resident declined NJDEP's treatment offer. To be consistent with Chemours program, we will be sending this letter to confirm he still declines treatment. In addition, to be consistent with our QREP procedures, if he does want to accept Chemours offer of treatment, Chemours will resample his well first to reconfirm qualification as the NJDEP sampled his well in 2015. So far, none of the residents that declined Chemours treatment offer have responded to our annual mailing. If any of them do, we will also resample if the result is over a year old and the resident wants treatment now.

Please review this letter and let me know if you have any comments. Thank you.

Kathy

Katherine L. Davis, PhD

Pronouns: *she, her, hers*

PFAS Technical Lead

Principal Geologist, Philly Metro Area

D 1-302-318-2597 effective 10/14/20

C 1-302-530-2687

Katherine.L.Davis@aecom.com

AECOM

4051 Ogletown Road, Sabre Building Suite 300, Newark, Delaware 19713

T 1-302-781-5900 F 1-302-781-5901

www.aecom.com